


RULE 6: TRENCH THROUGH 1 INTERSECTION QUADRANT

RESTORATION RULE 6: WHEN A TRENCH AFFECTS A SINGLE INTERSECTION QUADRANT, THE PAVEMENT RESTORATION SHALL INCLUDE THE ENTIRE QUADRANT AND REPLACE THE CORNER CURB RAMP PER DOJ TITLE 28 CHAPTER I PART 35 SECTION 151. THE REST OF THE AFFECTED CROSSWALKS OUTSIDE OF THE RESTORATION AREA SHALL BE RESTRIPED.



RULE 7: 3 OR MORE INTERSECTION QUADRANTS AFFECTED

RESTORATION RULE 7: WHEN A TRENCH AFFECTS THREE OR FOUR QUADRANTS OF AN INTERSECTION, THE ENTIRE INTERSECTION SHALL BE RESTORED. ALL CORNER CURB RAMPS SHALL BE REPLACED PER DOJ TITLE 28 CHAPTER I PART 35 SECTION 151. ALL CROSSWALKS AND ANY OTHER AFFECTED STRIPING SHALL BE RESTRIPED.

LEGEND PROPERTY LINE APPROXIMATE AREA OF ASPHALT CONCRETE = CENTER LINE PAVEMENT RESTORATION - LANE LINE APPROXIMATE AREA OF CROSSWALK TRAFFIC FLOW AFFECTED CROSSWALKS AND CURB RAMPS TO BE RESTORED - PARKING TEE

- TRENCH RESTORATION NOTES:

 1. AFTER UTILITY FACILITY REPAIRS OR INSTALLATION, TRENCH SHALL BE BACKFILLED PER CITY STANDARD U-7.
- ALL OPEN TRENCHES SHALL BE BACKFILLED AND TEMPORARILY PAVED WITH HMA PRIOR TO FINISHING THE WORK DAY. BOLTED TRAFFIC RATED PLATES REQUIRE CONSTRUCTION COORDINATION COMMITTEE APPROVAL.
- ALL RESTORATION SHALL BE COMPLETED IN A TIMELY MANNER. AFTER BACKFILL IS RESTORED AND COMPACTED, BASE LAYER SHALL BE INSTALLED, AND HOT MIX
- ASPHALT SHALL BE PLACED WITHIN 120 HOURS.
 AFTER RESTORATION OF ASPHALT, ALL STRIPING SHALL BE RESTORED PER CITY
 STANDARDS WITHIN 2-7 DAYS. ALLOW ASPHALT TO CURE FOR A MINIMUM OF 2 DAYS PRIOR TO STRIPING.

SOUTH SAN FRANCISCO **PUBLIC WORKS** ENGINEERING

PAVEMENT RESTORATION (TRENCHES)

APR 2023

R-10C